



Cheltenham Girls
High School

2010

Higher School Certificate
Trial examination

Student number

Teacher

Physics

TASK WEIGHTING: 35%

Total marks – 100

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Write using black or blue pen
- Draw diagrams using pencil
- Board-approved calculators may be used
- A data-sheet, formulae sheets and Periodic Table are provided at the back of this paper

Section I Pages 1 – 16

75 marks

This section has two parts, Part A and Part B

Part A – 20 marks

- Attempt Questions 1 – 20
- Allow about 35 minutes for this part

Part B – 55 marks

- Attempt questions 21 – 32
- Allow about 1 hour and 40 minutes for this part

Section II Pages 17 – 20

25 marks

- Attempt Questions 33 – 37
- Allow about 45 minutes for this section

Section I - 75 marks

Part A - Multiple Choice questions - 20 marks

Attempt all questions 1 to 20

Allow about 35 minutes to complete this Part.

Select the alternative A, B, C or D, that best answers the question and indicate your choice by clearly marking your answer in the appropriate place on the Multiple Choice Answer Sheet provided.

1. The mass of Mars is approximately 0.1 times the mass of Earth and Mars' diameter is approximately 0.5 times that of Earth.

What is the approximate acceleration due to gravity on the surface of Mars?

- (A) 2 ms^{-2}
- (B) 4 ms^{-2}
- (C) 25 ms^{-2}
- (D) 50 ms^{-2}

2. The gravitational potential at a point P above the surface of a planet is defined as the work done per unit mass in moving a small test mass between P and another point.

Which of the following defines this displacement?

- (A) From infinity to point P
- (B) From point P to infinity and beyond
- (C) From point P to the surface of the planet
- (D) From the surface of the planet to point P

3. A satellite is placed in a circular orbit about the Earth.

If the orbital radius of the satellite increases, what effect will this have on its kinetic energy and gravitational potential energy?


| | Kinetic Energy | Gravitational Potential Energy |
|-----|----------------|--------------------------------|
| (A) | Increase | Decrease |
| (B) | Increase | Increase |
| (C) | Decrease | Decrease |
| (D) | Decrease | Increase |

4. Planets A and B orbit the same star. The orbital radius of planet B is four times that of planet A.

Which of the following is the magnitude of the orbital period for planet B, compared to the orbital period for planet A?

- (A) 4
- (B) 8
- (C) 16
- (D) 64


5. The engine of a rocket ejects gas at high speed, as shown below.



Which statement explains why the rocket accelerates forward?


- (A) The momentum of the gas is equal to the momentum of the rocket.
 - (B) The gas pushes on the air at the back of the rocket.
 - (C) The change in momentum of the gas gives rise to a force on the rocket.
 - (D) The ejected gas creates a region of high pressure behind the rocket.
6. Which of the following statements defines *torque*?
- (A) Momentum of a rotating coil about its axis of rotation
 - (B) Force times parallel distance of the line of action of force from axis of rotation
 - (C) Force times the distance over which the force acts, measured as centrifugal momentum
 - (D) Force times perpendicular distance of the line of action of force from axis of rotation
7. A flat metal pendulum disc is set swinging between the poles of a horseshoe magnet, so that the plane of the disc is perpendicular to the magnetic field.
- Which statement explains why the disc slows down?
- (A) A back emf is set up in the disc.
 - (B) The magnetic field experiences a force in the opposite direction.
 - (C) Electromagnetic braking is occurring.
 - (D) Relative motion of the conductor in the magnetic field accelerates the disc.

8. Which of the following describes two advantages of generating AC current, compared to DC current?
- (A) AC is readily stored in batteries and runs AC motors; which are cheaper, simpler and more reliable.
 - (B) When transmitted, AC can use transformers to lower the voltage and uses the entire cross-section of its conducting cable; decreasing energy losses.
 - (C) AC generators are more reliable and transformers can be used to change voltage.
 - (D) AC runs motors which are cheaper, simpler, more reliable and uses the entire cross-section of its conducting cable; decreasing energy losses.
9. Three conductors are of equal length, carrying equal currents and are situated in magnetic fields of the same strength. The conductors are in different positions as shown in the following diagrams.




Magnetic field (**B**)
into the page

Force on conductor= F_1



Magnetic field (**B**)
out of the page

Force on conductor= F_2



Magnetic field (**B**)
across the page


Force on conductor= F_3

Which of the following correctly compares the magnitude of the forces F_1 , F_2 and F_3 ?

| | | |
|-----|-----------------------------|-----------------------------|
| (A) | F_1 is greater than F_3 | F_2 is zero |
| (B) | F_1 equals F_2 | F_2 is greater than F_3 |
| (C) | F_1 is greater than F_2 | F_2 equals F_3 |
| (D) | F_1 is zero | F_2 equals F_3 |

10. What is the reason for laminating transformer cores?
- (A) To increase the magnetic field passing through the core
 - (B) To increase eddy currents
 - (C) To prevent heat conduction
 - (D) To reduce heating effects
11. Which of the following explains why the resistance in metals increases as they are heated?
- (A) Expansion of the metal
 - (B) Increased lattice vibration
 - (C) Pairing of electrons
 - (D) The effect of impurities

- 12 Which of the following is not an advantage of solid state devices, compared to thermionic state devices?
- (A) Solid state devices are cheaper to manufacture.
 - (B) Solid state devices can be miniaturised easily.
 - (C) Solid state devices operate with greater reliability.
 - (D) Solid state devices need to heat up before operating normally.
- 13 What is the wavelength of a quantum of radiation carrying 3×10^{-31} kJ of energy?
- (A) 6.6×10^{-1} m
 - (B) 6.6×10^2 m
 - (C) 4.5×10^5 m
 - (D) 4.5×10^8 m
14. Which of the following is not true of a satellite in a low-Earth orbit?
- (A) The further from the Earth the satellite orbits, the longer its period.
 - (B) The satellite will start to lose altitude after some time.
 - (C) The satellite will slowly lose its ability to maintain a circular orbit.
 - (D) The satellite will have a period of about 24 hours.
15. Ellie connects a rectangular coil AC motor (with slip rings instead of a commutator) to an AC source and then to a DC source.




How does the response of the motor vary when comparing the AC source with the DC source?

- (A) The motor will not move at all with a DC source, but will rotate continuously with an AC source;
- (B) The motor will move only a little with a DC source, neither will it be able to rotate continuously with an AC source.
- (C) The motor will rotate continuously with a DC source, but will only move a little with an AC source.
- (D) The motor will move only a little with a DC source, but will rotate continuously with an AC source.

Use the following information to answer questions 16 and 17.

An electron moving at speed v encounters two magnetic fields, B_1 and B_2 . The fields are restricted to the rectangular areas shown and the electron moves in a semi-circular path through each field as indicated in the following diagram.




16. What are the directions of the magnetic fields B_1 and B_2 ?

| | Magnetic field B_1 | Magnetic field B_2 |
|-----|----------------------|----------------------|
| (A) | Out of the page | Into the page |
| (B) | Out of the page | Out of the page |
| (C) | Into the page | Out of the page |
| (D) | Into the page | Into the page |

17. How does the strength of the magnetic fields B_1 and B_2 compare?

- (A) B_2 is stronger than B_1 .
 (B) B_1 is stronger than B_2 .
 (C) B_1 and B_2 are equal in strength.
 (D) B_1 and B_2 cannot be compared.
18. Two long straight current carrying conductors are set up, each carrying the same amount of current. What happens to the force on conductor X if the current in conductor Y is doubled and the distance between X and Y is halved?
- (A) The force on conductor X is the same as the original amount.
 (B) The force on conductor X becomes $2\times$ the original amount.
 (C) The force on conductor X becomes $4\times$ the original amount.
 (D) The force on conductor X becomes $8\times$ the original amount.

19. A length of copper pipe is dropped from a height and falls vertically past the poles of a nearby large electromagnet, cutting magnetic flux lines. The coil current of the electromagnet is steadily increased. Which statement correctly describes how the coil current affects the moving pipe?
- (A) As the coil current increases, the pipe cuts a greater amount of flux, and its rate of acceleration becomes significantly less than 9.8 ms^{-2} .
 - (B) As the coil current increases, the pipe cuts a greater amount of flux, and its rate of acceleration is constant at about 9.8 ms^{-2} .
 - (C) As the coil current increases, the pipe cuts a constant amount of flux, and its rate of acceleration is constant at about 9.8 ms^{-2} .
 - (D) As the coil current increases, the pipe cuts a greater amount of flux, and its rate of acceleration becomes significantly greater than 9.8 ms^{-2} .
20. Rhonda sets up the arrangement shown above, to test Faraday's experiment.



Initially she moves the south pole of a bar magnet towards the solenoid as shown, causing the needle of the galvanometer to deflect as shown. She then tests what happens as the magnet moves towards and away from the solenoid. Which one of the following tests produces a result which is opposite to that of the other three alternatives?

- (A) Moving the south pole of the magnet towards the left-hand end of the solenoid.
- (B) Moving the north pole of the magnet away from the right-hand end of the solenoid.
- (C) Moving the north pole of the magnet away from the left-hand end of the solenoid.
- (D) Moving the north pole of the magnet towards the right-hand

End of Part A

Section I -continued

Part B

Total marks (55)

Attempt questions 21 -32

Allow about 1 hour 40 minutes for this part

Answer the questions in the spaces provided. Show all relevant working in questions involving calculations.

Marks

Question 21 (4 marks)

- (a) Define comprehensively Newton's *universal law of gravitation*.

2

.....

.....

.....

.....

- (b) The average distance of Earth from the Sun is 1.5×10^{11} m. The acceleration due to the Sun's gravitational field at the Earth is $6.0 \times 10^{-3} \text{ ms}^{-2}$. Calculate the approximate mass of the Sun.

2

.....

.....

.....

.....

Question 22 (3 marks)

- (a) Assume that you are inside a closed container with no windows.

2

Identify whether it is possible to determine if the container is moving at a constant velocity or if it is stationary. State the relevant principle in Physics that justifies your answer.

.....

.....

.....

.....

- (b) Identify the name that is given to the frame of reference referred to in part (a).

1


.....

Question 23 (5 marks)

A stone is thrown from the top of a cliff at a height of 28 m above the sea. The stone is thrown at a speed of 25 ms^{-1} at an angle of 30° above the horizontal. (Air resistance is negligible.)

The maximum height reached by the stone from the point at which it is thrown is 8.0 m.


The stone leaves the cliff at time $T = 0$. It reaches its maximum height at $T = T_H$ and strikes the sea at $T = T_S$.



Marks

- (a) On the axis below, sketch a graph to show the variation in the magnitude of the vertical component of the velocity of the stone, from $T = 0$ to $T = T_S$.

3



Question 23 continues on next page

(Question 23 continued)

Marks

- (b) Calculate the time (T_{total}) it will take for the stone to hit the water.

2

.....

.....

.....

.....

.....

.....


.....

Question 24 (3 marks)

The diagram below shows a satellite in orbit about the Earth.

The diameter of the Earth is 12 560 km.

[not to scale]



- (a) State the name of the force causing the satellite's acceleration and show the direction in which it acts, by drawing a vector to represent it on the above diagram.

1

.....

- (b) If the satellite is 20 000 km above the surface of the Earth, calculate acceleration of the satellite.

2

.....


.....

.....

.....

Question 25 (5 marks)

A rocket moving at $0.80c$, relative to Earth, passes the Earth on its way to a distant planet. The distance between Earth and the planet is 6.0 light years (ly) as measured by an observer on Earth.



Marks

- (a) i. Calculate the duration of the journey from Earth to the planet, according to an observer on Earth.

1

.....

.....

- ii. Calculate the duration of the journey from Earth to the planet, according to an observer in the space ship.

2

.....

.....

.....


.....

.....

.....

- (b) Tom is an observer in a rocket that moves past a space station. Jerry is an observer in the middle of the space station. Jerry sends two light signals towards mirrors at the front and the back of the space station. The signals are emitted simultaneously according to both Tom and Jerry. The signals are reflected off the mirrors and reflected back to Jerry.

Question 25 (b) continues on next page



From Tom's frame of reference, determine whether the front or the back of the space station receives the signal first, or whether the signals arrive simultaneously. Justify your answer.

2

.....

.....

.....

.....

.....

.....

Question 26 (4 marks)

- (a) A transformer connected to a 240V mains supply has a primary coil with 100 turns and a secondary coil with 750 turns. Calculate the output voltage.

1

.....

.....

- (b) Discuss the impact of the development of transformers on society.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 27 (6 marks)

Marks

- 2

[illegible]

- (b) Galvanometers and loudspeakers are both applications of the motor effect, and a moveable coil is a central part of each device.

Analyse how the motor effect is used to produce rotation of the coil in one device and vibration in the other.

4

© Focus.

Question 28 (5 marks)

- 2

Handwritten text on lined paper, partially obscured by a large, faint watermark reading "HSC".

Question 28 continues on next page

(Question 28 continued)

Marks

- (b) Outline one possible reason for the limit on magnitude of the voltage used for transmission.

1

.....

.....

.....


- (c) In the space below, sketch TWO graphs showing the output of simple AC and DC generators.

2

Question 29 (5 marks)

Two coils are wrapped around the opposite sides of an iron core, as shown. Circuit 1 has a galvanometer and circuit 2 has a switch and a battery.

When the switch is first closed, the galvanometer needle moves, then returns to zero.



- (a) Explain the cause of the current flow in Circuit 1.

2

.....

.....

.....

.....

.....

.....

Question 29 continues on next page

(Question 29 continued)

Marks

- (b) Describe TWO changes to the apparatus that would increase the magnitude of the momentary current flow.

2

.....

.....

.....

.....

- (c) Propose ONE change to the apparatus that would produce a continuous current in circuit 1 while the switch is held closed.

1

.....

.....

Question 30 (5 marks)

- (a) Describe how p-type semiconductors are produced.

1

.....

.....

.....

- (b) Explain the change in electrical properties of p-type semiconductors, compared to electrical properties of pure semiconductors.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (c) Account for the difference in electrical resistance of conductors and insulators.

2

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

Question 31 (4 marks)

At the end of the nineteenth century, the inconsistent behaviour of cathode rays caused much debate among physicists.

The following diagram shows Thomson's original sketch of the apparatus he used to research cathode rays.



Explain how Thomson, using his apparatus, was able to settle the scientific debate about the nature of cathode rays.

4

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 32 (6 marks)

Samuel Johnson (mid-eighteenth century), when asked "What is poetry?" replied: "Why, sir, it is much easier to say what it is not. We all know what light is; but it is not easy to tell what it is."

William Bragg (late-nineteenth century), when asked to explain what light is; replied that physicists use the wave theory on Monday, Wednesdays, and Fridays, and the particle theory on Tuesdays, Thursdays, and Saturdays.

Analyse the experimental AND theoretical contributions made by various scientists that resulted in the "particle model of light" referred to by William Bragg.

6

Section II

Total marks (25)

Attempt questions 33 -37

Allow about 45 minutes for this part

Answer the questions in the spaces provided. Show all relevant working in questions involving calculations.

Question 33 (5 marks)

Marks

A team of NASA scientists puts a space probe on a journey to the outer planets by using the sling-shot effect around Venus.

- (a) Describe how the speed of the craft relative to the planet changes as it moves towards the planet and away from the planet.

2

.....

.....

.....

.....

.....

.....

.....

.....

- (b) A reporter at NASA writes that “The velocity of the craft relative to the planet may change but the craft cannot have more KE once it leaves the planet than it had when it was coming into the planet”. Assess the validity of this claim.

3

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 34 (4 marks)

Marks

Select one of the pioneers of Space Travel, Esnault-Pelterie, Goddard, Oberth, O'Neill, Tsiolkovski, or Von Braun, and outline at least three of his contributions to space travel.

4

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 35 (4 marks)

Discuss Einstein's and Planck's differing views about whether science research is removed from social and political forces.

4

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

Question 36 (6 marks)**Marks**

The top view diagram below shows a 0.75 m conducting rod moving across a 0.25 T magnetic field (directed out) along two horizontal metal rails. A current flows into the rod from an external circuit powered by a 30 V battery. The electrical resistance of the system is 5.5 Ω .



- (a) State the main physics principle which produces this effect.

1

.....

.....

- (b) Given that $V = IR$, calculate the current in the rod and the force on the rod.

2

.....

.....

.....

- (c) Describe in detail the motion of the rod.

3

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

Question 37 (6 marks)

Marks



These graphs illustrate a problem of the late 19th century, where physicists discovered there was a major variation between the theory and the experimental results.

- (a) With what was this theory/experiment concerned? 1

- (b) Identify both the axes associated with this graph. **1**

- (c) After some years without resolution, Max Planck proposed a radical explanation to the problem, which allowed the amended theory to fit experimental results. Outline Planck's proposals, and their significance.

HSC

(End of the Paper)

DATA SHEET

| | |
|---|---|
| Charge on electron, q_e | $-1.602 \times 10^{-19} \text{ C}$ |
| Mass of electron, m_e | $9.109 \times 10^{-31} \text{ kg}$ |
| Mass of neutron, m_n | $1.675 \times 10^{-27} \text{ kg}$ |
| Mass of proton, m_p | $1.673 \times 10^{-27} \text{ kg}$ |
| Speed of sound in air | 340 m s^{-1} |
| Earth's gravitational acceleration, g | 9.8 m s^{-2} |
| Speed of light, c | $3.00 \times 10^8 \text{ m s}^{-1}$ |
| Magnetic force constant, $\left(k \equiv \frac{\mu_0}{2\pi} \right)$ | $2.0 \times 10^{-7} \text{ N A}^{-2}$ |
| Universal gravitational constant, G | $6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$ |
| Mass of Earth | $6.0 \times 10^{24} \text{ kg}$ |
| Planck constant, h | $6.626 \times 10^{-34} \text{ J s}$ |
| Rydberg constant, R (hydrogen) | $1.097 \times 10^7 \text{ m}^{-1}$ |
| Atomic mass unit, u | $1.661 \times 10^{-27} \text{ kg}$ $931.5 \text{ MeV}/c^2$ |
| 1 eV | $1.602 \times 10^{-19} \text{ J}$ |
| Density of water, ρ | $1.00 \times 10^3 \text{ kg m}^{-3}$ |
| Specific heat capacity of water | $4.18 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$ |

FORMULAE SHEET

$$v = f\lambda$$

$$I \propto \frac{1}{d^2}$$

$$\frac{v_1}{v_2} = \frac{\sin i}{\sin r}$$

$$E = \frac{F}{q}$$

$$R = \frac{V}{I}$$

$$P = VI$$

$$\text{Energy} = VIt$$

$$v_{av} = \frac{\Delta r}{\Delta t}$$

$$a_{av} = \frac{\Delta v}{\Delta t} \text{ therefore } a_{av} = \frac{v-u}{t}$$

$$\Sigma F = ma$$

$$F = \frac{mv^2}{r}$$

$$E_k = \frac{1}{2}mv^2$$

$$W = Fs$$

$$p = mv$$

$$\text{Impulse} = Ft$$

$$E_p = -G \frac{m_1 m_2}{r}$$

$$F = mg$$

$$v_x^2 = u_x^2$$

$$v = u + at$$

$$v_y^2 = u_y^2 + 2a_y \Delta y$$

$$\Delta x = u_x t$$

$$\Delta y = u_y t + \frac{1}{2} a_y t^2$$

$$\frac{r^3}{T^2} = \frac{GM}{4\pi^2}$$

$$F = \frac{Gm_1 m_2}{d^2}$$

$$E = mc^2$$

$$l_v = l_0 \sqrt{1 - \frac{v^2}{c^2}}$$

$$t_v = \frac{t_0}{\sqrt{1 - \frac{v^2}{c^2}}}$$

$$m_v = \frac{m_0}{\sqrt{1 - \frac{v^2}{c^2}}}$$

FORMULAE SHEET

$$\frac{F}{l} = k \frac{I_1 I_2}{d}$$

$$d = \frac{1}{p}$$

$$F = BIl \sin \theta$$

$$M = m - 5 \log \left(\frac{d}{10} \right)$$

$$\tau = Fd$$

$$\frac{I_A}{I_B} = 100^{(m_B - m_A)/5}$$

$$\tau = nBIA \cos \theta$$

$$m_1 + m_2 = \frac{4\pi^2 r^3}{GT^2}$$

$$\frac{V_p}{V_s} = \frac{n_p}{n_s}$$

$$F = qvB \sin \theta$$

$$\frac{1}{\lambda} = R \left(\frac{1}{n_f^2} - \frac{1}{n_i^2} \right)$$

$$E = \frac{V}{d}$$

$$\lambda = \frac{h}{mv}$$

$$E = hf$$

$$c = f\lambda$$

$$A_0 = \frac{V_{\text{out}}}{V_{\text{in}}}$$

$$Z = \rho v$$

$$\frac{V_{\text{out}}}{V_{\text{in}}} = - \frac{R_f}{R_i}$$

$$\frac{I_r}{I_0} = \frac{[Z_2 - Z_1]^2}{[Z_2 + Z_1]^2}$$

HSCFocus.com

| 1 H 1.008 Hydrogen | | KEY | | | | | | | | | | 2 He 4.003 Helium | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|--|--------------------------------|--|------------------------------|--|-------------------------------------|--|--------------------------------|--|----------------------------------|--|-----------------------------------|--|--------------------------------|--|----------------------------------|--|------------------------------------|--|-----------------------------------|--|--------------------------------|--|-------------------------------|--|-------------------------------|--|-------------------------------|--|---------------------------------|--|---------------------------------|--|------------------------------|--|
| 3 Li 6.941 Lithium | | 4 Be 9.012 Beryllium | | Atomic Number | | Atomic Weight | | Symbol of element | | 5 B 10.81 Boron | | 6 C 12.01 Carbon | | 7 N 14.01 Nitrogen | | 8 O 16.00 Oxygen | | 9 F 19.00 Fluorine | | 10 Ne 20.18 Neon | | | | | | | | | | | | | | | |
| 11 Na 22.99 Sodium | | 12 Mg 24.31 Magnesium | | 23 V 50.94 Vanadium | | 24 Cr 52.00 Chromium | | 25 Mn 54.94 Manganese | | 26 Fe 55.85 Iron | | 27 Co 58.93 Cobalt | | 28 Ni 58.69 Nickel | | 29 Cu 63.55 Copper | | 30 Zn 65.41 Zinc | | 31 Ga 69.72 Gallium | | 32 Ge 72.64 Germanium | | 33 As 74.92 Arsenic | | 34 Se 78.96 Selenium | | 35 Br 79.90 Bromine | | 36 Kr 83.80 Krypton | | | | | |
| 37 Rb 85.47 Rubidium | | 38 Sr 87.62 Strontium | | 39 Y 88.91 Yttrium | | 40 Zr 91.22 Zirconium | | 41 Nb 92.91 Niobium | | 42 Mo 95.94 Molybdenum | | 43 Tc [97.91] Technetium | | 44 Ru 101.1 Ruthenium | | 45 Rh 102.9 Rhodium | | 46 Pd 106.4 Palladium | | 47 Ag 107.9 Silver | | 48 Cd 112.4 Cadmium | | 49 In 114.8 Indium | | 50 Sn 118.7 Tin | | 51 Sb 121.8 Antimony | | 52 Te 127.6 Tellurium | | 53 I 126.9 Iodine | | 54 Xe 131.3 Xenon | |
| 55 Cs 132.9 Caesium | | 56 Ba 137.3 Barium | | 57-71 Lanthanoids | | 72 Hf 178.5 Hafnium | | 73 Ta 180.9 Tantalum | | 74 W 183.8 Tungsten | | 75 Re 186.2 Rhenium | | 76 Os 190.2 Osmium | | 77 Ir 192.2 Iridium | | 78 Pt 195.1 Platinum | | 79 Au 197.0 Gold | | 80 Hg 200.6 Mercury | | 81 Tl 204.4 Thallium | | 82 Pb 207.2 Lead | | 83 Bi 209.0 Bismuth | | 84 Po [209.0] Polonium | | 85 At [210.0] Astatine | | 86 Rn [222.0] Radon | |
| 87 Fr [223] Francium | | 88 Ra [226] Radium | | 89-103 Actinoids | | 104 Rf [261] Rutherfordium | | 105 Db [262] Dubnium | | 106 Sg [266] Seaborgium | | 107 Bh [264] Bohrium | | 108 Hs [277] Hassium | | 109 Mt [268] Meitnerium | | 110 Ds [271] Darmstadtium | | 111 Rg [272] Roentgenium | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | |
|-----------|--------|--------------|-----------|------------|----------|----------|------------|---------|------------|---------|--------|---------|-----------|----------|
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
| La | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Ho | Er | Tm | Yb | Lu |
| 138.9 | 140.1 | 140.9 | 144.2 | [145] | 150.4 | 152.0 | 157.3 | 158.9 | 162.5 | 164.9 | 167.3 | 168.9 | 173.0 | 175.0 |
| Lanthanum | Cerium | Praseodymium | Neodymium | Promethium | Samarium | Europium | Gadolinium | Terbium | Dysprosium | Holmium | Erbium | Thulium | Ytterbium | Lutetium |

| | | | | | | | | | | | | | | |
|----------|---------|--------------|---------|-----------|-----------|-----------|--------|-----------|-------------|-------------|---------|-------------|----------|------------|
| 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| Ac | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| [227] | 232.0 | 231.0 | 238.0 | [237] | [244] | [243] | [247] | [247] | [251] | [252] | [257] | [258] | [259] | [262] |
| Actinium | Thorium | Protactinium | Uranium | Neptunium | Plutonium | Americium | Curium | Berkelium | Californium | Einsteinium | Fermium | Mendelevium | Nobelium | Lawrencium |

The International Union of Pure and Applied Chemistry Periodic Table of the Elements (October 2005 version) is the principal source of data. Some data may have been modified.



Cheltenham Girls
High School

Year 12 Higher School Certificate Physics

Trial examination

Student name

Student number

Class Teacher

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample: $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9
A ☐ B ☒ C ☐ D ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

A ☒ B ☒ C ☐ D ☐

If you change your mind and have crossed out what you consider to be the correct answer, then indicate the correct answer by writing the word **correct** and drawing an arrow as follows.

A ☒ B ☒ C ☐ D ☐
correct

| | | | | | | | | |
|----|---|-----------------------|---|-----------------------|---|-----------------------|---|-----------------------|
| 1 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 2 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 3 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 4 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 5 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 6 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 7 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 8 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 9 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 10 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 11 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 12 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 13 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 14 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 15 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 16 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 17 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 18 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 19 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |
| 20 | A | <input type="radio"/> | B | <input type="radio"/> | C | <input type="radio"/> | D | <input type="radio"/> |